



I.F.W.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Igor Andreevich SOBOLEV, et al
Serial No.: 10/612,158 Group No.: 1754
Filed: July 2, 2003 Examiner.: Jennifer A. Leung
For: INSTALLATION FOR VITRIFICATION OF LIQUID RADIOACTIVE
WASTES, COOLED DISCHARGE UNIT AND COOLED INDUCTION MELTER
FOR THE INSTALLATION

Attorney Docket No.: U 014700-6

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT

In response to the Official Action of August 2, 2004, please amend the
application as follows:

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*
(When using Express Mail, the Express Mail label number is **mandatory**;
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

- ☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for
Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. 1.8(a)

37 C.F.R. 1.10*

- ☒ with sufficient postage as first class mail. ☐ as "Express Mail Post Office to Address"
Mailing Label No. _____ (mandatory)

TRANSMISSION

- ☐ transmitted by facsimile to the Patent and Trademark Office. to (708) 872-9386

Date: November 3, 2004

Signature

CLIFFORD J. MASS

(type or print name of person certifying)

***WARNING:** Each paper or fee filed by "Express Mail" **must** have the number of the "Express Mail"
mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).
"Since the filing of correspondence under § 1.10 without the Express Mail mailing label
thereon is an oversight that can be avoided by the exercise of reasonable care, requests for
waiver of this requirement will **not** be granted on petition." Notice of Oct. 24, 1996, 60 Fed.
Reg. 56,439, at 56,442.